

EOC-Enclosure2

Aluminium Waterproof Junction Box for EOC-Transmitter, POE-Extender02, Most Bullet and Dome Cameras.



Specification

Model	EOC-Enclosure2
General	
Material	Aluminium
Dimension(WxHxD)	5.28x5.25"x2.20" (134.0mmx133.5mmx56.0mm)
Pipe Thread	G3/4
Weight	1.19lb(0.54kg)
Load Bearing	6.61lb(3.0kg)
Color	White
Protection Level	IP66
Operating Temperature	-40°F~140°F(-40°C~60°C)
Humidity	0~90% RH

Package Included



EOC-Enclosure2
(without EOC Transmitter)



Screws




User Manual

Outdoor enclosure designed for EOC-Transmitter or POE-Extender02





EOC-Transmitter needs to be purchased separately and can be replaced with POE-Extender02

Typical Application



Wall mount fitting most bullet and mini dome cameras

- **Dahua E,R,S,T series bullet cameras**
like IPC-HFW2541T-AS, IPC-HFW5241T-ASE-PV, IPC-HFW1230T1-ZS-S5, IPC-HFW2541S-S, IPC-HFW1530S, IPC-HFW4241E-AS (replace PFA134 box).
- **Dahua TPC-BF1241 thermal bullet cameras**
- **Dahua E, R, S, T dome cameras**
like IPC-HDBW2541R, IPC-HDBW2441E-S, IPC-HDW1230S-S5, IPC-HDW1230T-ZS (replace PFA137, PFB203W).
- **Hikvision mini turret dome cameras**
like DS-2CD1383G0-IUF.
- **Hikvision DS-21xx series mini dome cameras**
like DS-2CD2143G2-I.



Dimension

